


# Kansas City, MO-KS



## Deaths reported to DAWN

Drug misuse 106  
Suicide 15

**Metro area population, 2003**  
1,904,908

**Population covered by DAWN**  
933,360

**Percent of population covered by DAWN**  
49%

## Metro area overview: Deaths and population by county, 2003


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
Total participating (3)	106	113.6	15	16.1	933,360
1. Franklin County, KS					25,540
2. Johnson County, KS					486,515
3. Leavenworth County, KS					71,546
4. Linn County, KS					9,722
5. Miami County, KS					29,187
6. Wyandotte County, KS					157,091
7. Bates County, MO					16,937
8. Caldwell County, MO					9,159
9. Cass County, MO					88,834
10. Clay County, MO	20	103.0	4	20.6	194,247
11. Clinton County, MO					20,140
12. Jackson County, MO*	81	122.8	11	16.7	659,723
13. Lafayette County, MO					32,951
14. Platte County, MO	5	63.0	0	0.0	79,390
15. Ray County, MO					23,926

Shaded areas did not participate in DAWN this year.

\* Indicates area featured in Spotlight section.

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003




## Place of death, 2003

Drug misuse		Deaths
Health care facility		34
Home		50
Public place		11
Other		11
Not documented		0
Suicide		Deaths
Health care facility		4
Home		6
Public place		4
Other		--
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2003




## Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	85	Any drug-related cause	12
Abuse	11	Abuse	0
Drug or alcohol	85	Drug or alcohol	12
Toxic effects	73	Toxic effects	12
Body systems (includes infections)	6	Body systems (includes infections)	--
Accidents and injuries	17	Accidents and injuries	--

### Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>67</b>	<b>23</b>	<b>106</b>	<b>31</b>	<b>15</b>	<b>--</b>
Alcohol <sup>2</sup>			33	--	5	--
Cocaine	42	17	41	17	--	--
Marijuana	20	0	17	0	--	--
Stimulants	12	--	11	--	--	--
Club drugs <sup>3</sup>	0	0	0	0	0	--
Hallucinogens <sup>4</sup>	7	5	6	5	--	--
Inhalants	--	0	--	0	0	--
Antidepressants			26	0	4	--
Antipsychotics			--	0	--	--
Benzodiazepines			20	0	5	--
Misc. anxiolytics, sedatives, and hypnotics			6	0	--	--
Opiates/opioids			46	--	9	--
Heroin (specified)	0	0	0	0	0	--
Methadone			13	--	--	--
All other opiates/opioids			34	--	9	--
Nonsteroidal anti-inflammatory agents			0	0	0	--
Salicylates/combinations			--	--	0	--
Misc. analgesics/combinations			--	0	--	--
Anticonvulsants			--	0	--	--
Muscle relaxants			4	--	--	--

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# Louisville, KY-IN



## Deaths reported to DAWN

Drug misuse 71  
Suicide 18

**Metro area population, 2003**  
1,190,154

**Population covered by DAWN**  
699,017

**Percent of population covered by DAWN**  
59%


## Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (1)</b>	<b>71</b>	<b>101.6</b>	<b>18</b>	<b>25.8</b>	<b>699,017</b>
1. Clark County, IN					99,482
2. Floyd County, IN					71,148
3. Harrison County, IN					35,706
4. Washington County, IN					27,618
5. Bullitt County, KY					64,909
6. Henry County, KY					15,543
7. Jefferson County, KY	71	101.6	18	25.8	699,017
8. Meade County, KY					27,619
9. Nelson County, KY					39,635
10. Oldham County, KY					50,517
11. Shelby County, KY					35,900
12. Spencer County, KY					14,301
13. Trimble County, KY					8,759

Shaded areas did not participate in DAWN this year.

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003




## Place of death, 2003

<b>Drug misuse</b>		<b>Deaths</b>
Health care facility		13
Home		45
Public place		--
Other		11
Not documented		0
<b>Suicide</b>		<b>Deaths</b>
Health care facility		4
Home		11
Public place		--
Other		--
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2003




## Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	68	Any drug-related cause	18
Abuse	0	Abuse	0
Drug or alcohol	67	Drug or alcohol	18
Toxic effects	68	Toxic effects	18
Body systems (includes infections)	5	Body systems (includes infections)	0
Accidents and injuries	--	Accidents and injuries	0

### Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>13</b>	<b>--</b>	<b>71</b>	<b>7</b>	<b>18</b>	<b>--</b>
Alcohol <sup>2</sup>			14	0	6	--
Cocaine	9	--	9	0	0	--
Marijuana	--	--	--	0	0	--
Stimulants	--	--	--	--	0	--
Club drugs <sup>3</sup>	--	--	--	0	0	--
Hallucinogens <sup>4</sup>	0	--	0	0	0	--
Inhalants	0	--	0	0	0	--
Antidepressants			29	0	9	--
Antipsychotics			10	0	--	--
Benzodiazepines			15	0	--	--
Misc. anxiolytics, sedatives, and hypnotics			5	0	4	--
Opiates/opioids			53	5	9	--
Heroin (specified)	0	--	0	0	0	--
Methadone			32	--	--	--
All other opiates/opioids			27	--	7	--
Nonsteroidal anti-inflammatory agents			0	0	0	--
Salicylates/combinations			0	0	0	--
Misc. analgesics/combinations			13	--	7	--
Anticonvulsants			--	0	--	--
Muscle relaxants			0	0	--	--

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# Miami-Fort Lauderdale-Miami Beach, FL



## Deaths reported to DAWN

Drug misuse	159
Suicide	19

**Metro area population, 2003**  
5,288,796

**Population covered by DAWN**  
2,341,167

**Percent of population covered by DAWN**  
44%


## Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (1)</b>	<b>159</b>	<b>67.9</b>	<b>19</b>	<b>8.1</b>	<b>2,341,167</b>
1. Broward County, FL					1,731,347
2. Miami-Dade County, FL	159	67.9	19	8.1	2,341,167
3. Palm Beach County, FL					1,216,282

Shaded areas did not participate in DAWN this year.

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003




## Place of death, 2003

Drug misuse		Deaths
Health care facility		60
Home		57
Public place		14
Other		28
Not documented		0
Suicide		Deaths
Health care facility		5
Home		11
Public place		--
Other		--
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2003




## Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	139	Any drug-related cause	19
Abuse	20	Abuse	0
Drug or alcohol	139	Drug or alcohol	19
Toxic effects	97	Toxic effects	19
Body systems (includes infections)	48	Body systems (includes infections)	0
Accidents and injuries	20	Accidents and injuries	6

### Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>130</b>	<b>42</b>	<b>159</b>	<b>52</b>	<b>19</b>	<b>--</b>
Alcohol <sup>2</sup>			53	8	6	--
Cocaine	114	39	111	38	--	--
Marijuana	5	0	5	0	0	--
Stimulants	6	0	5	0	--	--
Club drugs <sup>3</sup>	9	0	8	0	--	--
Hallucinogens <sup>4</sup>	--	--	--	--	0	--
Inhalants	0	0	0	0	0	--
Antidepressants			15	0	4	--
Antipsychotics			--	0	0	--
Benzodiazepines			41	0	7	--
Misc. anxiolytics, sedatives, and hypnotics			8	0	4	--
Opiates/opioids			75	4	8	--
Heroin (specified)	36	--	36	--	0	--
Methadone			8	0	--	--
All other opiates/opioids			56	--	8	--
Nonsteroidal anti-inflammatory agents			--	0	0	--
Salicylates/combinations			0	0	0	--
Misc. analgesics/combinations			12	--	4	--
Anticonvulsants			0	0	0	--
Muscle relaxants			5	0	--	--

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# Milwaukee-Waukesha-West Allis, WI



## Deaths reported to DAWN

Drug misuse 134  
Suicide 19

**Metro area population, 2003**  
1,514,313

**Population covered by DAWN**  
933,221

**Percent of population covered by DAWN**  
62%


## Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (1)</b>	<b>134</b>	<b>143.6</b>	<b>19</b>	<b>20.4</b>	<b>933,221</b>
1. Milwaukee County, WI	134	143.6	19	20.4	933,221
2. Ozaukee County, WI					84,772
3. Washington County, WI					122,241
4. Waukesha County, WI					374,079

Shaded areas did not participate in DAWN this year.

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003




## Place of death, 2003

Drug misuse		Deaths
Health care facility		20
Home		84
Public place		6
Other		24
Not documented		0
Suicide		Deaths
Health care facility		--
Home		12
Public place		--
Other		4
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2003




## Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	134	Any drug-related cause	17
Abuse	0	Abuse	0
Drug or alcohol	134	Drug or alcohol	17
Toxic effects	122	Toxic effects	17
Body systems (includes infections)	13	Body systems (includes infections)	--
Accidents and injuries	--	Accidents and injuries	--

### Drug-related deaths by drug category, 2003

Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>88</b>	<b>21</b>	<b>134</b>	<b>24</b>	<b>19</b>	<b>--</b>
Alcohol <sup>2</sup>			39	0	8	--
Cocaine	75	16	75	16	0	--
Marijuana	--	0	--	0	0	--
Stimulants	0	0	0	0	0	--
Club drugs <sup>3</sup>	0	0	0	0	0	--
Hallucinogens <sup>4</sup>	0	0	0	0	0	--
Inhalants	--	--	0	0	--	--
Antidepressants			29	0	9	--
Antipsychotics			9	0	4	--
Benzodiazepines			39	0	6	--
Misc. anxiolytics, sedatives, and hypnotics			18	0	--	--
Opiates/opioids			89	7	5	--
Heroin (specified)	12	4	12	4	0	--
Methadone			19	0	0	--
All other opiates/opioids			73	--	5	--
Nonsteroidal anti-inflammatory agents			5	0	--	--
Salicylates/combinations			--	0	--	--
Misc. analgesics/combinations			19	0	8	--
Anticonvulsants			10	0	--	--
Muscle relaxants			4	0	--	--


<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.



# Minneapolis-St. Paul-Bloomington, MN-WI



## Deaths reported to DAWN

Drug misuse 94  
Suicide 28

**Metro area population, 2003**  
3,083,637

**Population covered by DAWN**  
1,763,421

**Percent of population covered by DAWN**  
57%

## Metro area overview: Deaths and population by county, 2003


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (6)</b>	<b>94</b>	<b>53.3</b>	<b>28</b>	<b>15.9</b>	<b>1,763,421</b>
1. Anoka County, MN					314,074
2. Carver County, MN	0	0.0	1	12.7	78,960
3. Chisago County, MN	3	65.0	3	65.0	46,165
4. Dakota County, MN	15	40.2	3	8.0	373,311
5. Hennepin County, MN*	67	59.8	19	16.9	1,121,035
6. Isanti County, MN	3	84.8	0	0.0	35,372
7. Ramsey County, MN					506,355
8. Scott County, MN	6	55.3	2	18.4	108,578
9. Sherburne County, MN					74,667
10. Washington County, MN					213,564
11. Wright County, MN					102,529
12. Pierce County, WI					37,872
13. St. Croix County, WI					71,155

Shaded areas did not participate in DAWN this year.

\* Indicates area featured in Spotlight section.

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003




## Place of death, 2003

Drug misuse		Deaths
Health care facility		17
Home		49
Public place		9
Other		19
Not documented		0
Suicide		Deaths
Health care facility		6
Home		16
Public place		--
Other		5
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2003




## Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	85	Any drug-related cause	23
Abuse	0	Abuse	0
Drug or alcohol	84	Drug or alcohol	23
Toxic effects	77	Toxic effects	23
Body systems (includes infections)	11	Body systems (includes infections)	--
Accidents and injuries	7	Accidents and injuries	6

### Drug-related deaths by drug category, 2003

Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>53</b>	<b>24</b>	<b>94</b>	<b>35</b>	<b>28</b>	<b>14</b>
Alcohol <sup>2</sup>			30	0	11	--
Cocaine	28	13	26	12	--	--
Marijuana	10	0	6	0	4	0
Stimulants	18	4	16	4	--	0
Club drugs <sup>3</sup>	0	0	0	0	0	0
Hallucinogens <sup>4</sup>	0	0	0	0	0	0
Inhalants	0	0	0	0	0	0
Antidepressants			7	0	8	--
Antipsychotics			--	0	--	--
Benzodiazepines			9	0	5	--
Misc. anxiolytics, sedatives, and hypnotics			5	0	--	--
Opiates/opioids			59	18	5	0
Heroin (specified)	9	7	9	7	0	0
Methadone			15	--	0	0
All other opiates/opioids			40	8	5	0
Nonsteroidal anti-inflammatory agents			0	0	0	0
Salicylates/combinations			--	0	--	--
Misc. analgesics/combinations			--	0	5	--
Anticonvulsants			0	0	0	0
Muscle relaxants			0	0	0	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# New Orleans-Metairie-Kenner, LA



## Deaths reported to DAWN

Drug misuse 182  
Suicide 18

**Metro area population, 2003**  
1,317,541

**Population covered by DAWN**  
966,307

**Percent of population covered by DAWN**  
73%

## Metro area overview: Deaths and population by county, 2003


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (3)</b>	<b>182</b>	<b>188.3</b>	<b>18</b>	<b>18.6</b>	<b>966,307</b>
1. Jefferson Parish, LA*	108	238.7	12	26.5	452,459
2. Orleans Parish, LA*	71	151.4	6	12.8	469,032
3. Plaquemines Parish, LA					28,025
4. St. Bernard Parish, LA					66,113
5. St. Charles Parish, LA					49,353
6. St. John Baptist Parish, LA	3	66.9	0	0.0	44,816
7. St. Tammany Parish, LA					207,743

Shaded areas did not participate in DAWN this year.

\* Indicates area featured in Spotlight section.

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003




## Place of death, 2003

<b>Drug misuse</b>		<b>Deaths</b>
Health care facility		41
Home		92
Public place		13
Other		36
Not documented		0
<b>Suicide</b>		<b>Deaths</b>
Health care facility		--
Home		9
Public place		--
Other		4
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2003




## Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	176	Any drug-related cause	17
Abuse	56	Abuse	--
Drug or alcohol	176	Drug or alcohol	17
Toxic effects	93	Toxic effects	12
Body systems (includes infections)	96	Body systems (includes infections)	8
Accidents and injuries	40	Accidents and injuries	7

### Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>109</b>	<b>12</b>	<b>182</b>	<b>24</b>	<b>18</b>	<b>--</b>
Alcohol <sup>2</sup>			58	0	6	--
Cocaine	84	10	82	10	--	--
Marijuana	21	0	21	0	0	--
Stimulants	12	0	10	0	--	--
Club drugs <sup>3</sup>	--	--	--	--	0	--
Hallucinogens <sup>4</sup>	0	0	0	0	0	--
Inhalants	0	0	0	0	0	--
Antidepressants			12	0	8	--
Antipsychotics			0	0	0	--
Benzodiazepines			66	0	8	--
Misc. anxiolytics, sedatives, and hypnotics			36	0	--	--
Opiates/opioids			133	12	13	--
Heroin (specified)	6	--	6	--	0	--
Methadone			52	4	0	--
All other opiates/opioids			105	7	13	--
Nonsteroidal anti-inflammatory agents			--	0	0	--
Salicylates/combinations			--	0	--	--
Misc. analgesics/combinations			13	0	5	--
Anticonvulsants			4	0	0	--
Muscle relaxants			27	0	--	--

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# New York-Newark-Edison, NY-NJ-PA



## Deaths reported to DAWN

Drug misuse 996  
Suicide 59

**Metro area population, 2003**  
18,640,775

**Population covered by DAWN**  
10,665,839

**Percent of population covered by DAWN**  
57%


## Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (9)</b>	<b>996</b>	<b>93.4</b>	<b>59</b>	<b>5.5</b>	<b>10,665,839</b>
1. Bergen County, NJ					897,569
2. Essex County, NJ					796,313
3. Hudson County, NJ					607,419
4. Hunterdon County, NJ					128,265
5. Middlesex County, NJ					780,995
6. Monmouth County, NJ					632,274
7. Morris County, NJ	30	62.1	2	4.1	483,150
8. Ocean County, NJ					546,081
9. Passaic County, NJ					498,357
10. Somerset County, NJ					311,600
11. Sussex County, NJ					151,146
12. Union County, NJ	47	88.8	4	7.6	529,360
13. Bronx County, NY*	181	132.8	7	5.1	1,363,198
14. Kings County, NY*	226	91.4	8	3.2	2,472,523
15. Nassau County, NY					1,339,463
16. New York County, NY*	220	140.6	13	8.3	1,564,798
17. Putnam County, NY	5	50.2	3	30.1	99,550
18. Queens County, NY*	148	66.5	6	2.7	2,225,486
19. Richmond County, NY	15	32.6	2	4.4	459,737
20. Rockland County, NY					292,989
21. Suffolk County, NY*	124	84.5	14	9.5	1,468,037
22. Westchester County, NY					940,302
23. Pike County, PA					52,163

Shaded areas did not participate in DAWN this year.  
\* Indicates area featured in Spotlight section.

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003




## Place of death, 2003

<b>Drug misuse</b>		<b>Deaths</b>
Health care facility		331
Home		520
Public place		56
Other		89
Not documented		0
<b>Suicide</b>		<b>Deaths</b>
Health care facility		13
Home		43
Public place		--
Other		--
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2003




## Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	987	Any drug-related cause	55
Abuse	163	Abuse	--
Drug or alcohol	980	Drug or alcohol	55
Toxic effects	826	Toxic effects	54
Body systems (includes infections)	148	Body systems (includes infections)	6
Accidents and injuries	12	Accidents and injuries	4

### Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>628</b>	<b>108</b>	<b>996</b>	<b>166</b>	<b>59</b>	<b>6</b>
Alcohol <sup>2</sup>			353	0	18	0
Cocaine	527	92	520	92	7	0
Marijuana	54	0	53	0	--	0
Stimulants	9	--	7	--	--	0
Club drugs <sup>3</sup>	10	0	10	0	0	0
Hallucinogens <sup>4</sup>	13	--	12	--	--	0
Inhalants	21	0	18	0	--	0
Antidepressants			210	--	29	--
Antipsychotics			55	--	6	--
Benzodiazepines			201	0	15	0
Misc. anxiolytics, sedatives, and hypnotics			113	--	19	--
Opiates/opioids			732	64	21	--
Heroin (specified)	104	14	104	14	0	0
Methadone			250	15	--	--
All other opiates/opioids			532	35	19	0
Nonsteroidal anti-inflammatory agents			--	0	--	0
Salicylates/combinations			12	0	5	0
Misc. analgesics/combinations			85	--	14	--
Anticonvulsants			19	0	4	0
Muscle relaxants			18	0	5	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# Ogden-Clearfield, UT



## Deaths reported to DAWN

Drug misuse 43  
Suicide 3

**Metro area population, 2003**  
468,942

**Population covered by DAWN**  
468,942


**Percent of population covered by DAWN**  
100%

## Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (3)</b>	<b>43</b>	<b>91.7</b>	<b>3</b>	<b>6.4</b>	<b>468,942</b>
1. Davis County, UT	21	82.2	1	3.9	255,597
2. Morgan County, UT	1	133.0	0	0.0	7,518
3. Weber County, UT	21	102.0	2	9.7	205,827

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003



## Place of death, 2003

<b>Drug misuse</b>		<b>Deaths</b>
Health care facility		15
Home		22
Public place		--
Other		--
Not documented		--
<b>Suicide</b>		<b>Deaths</b>
Health care facility		--
Home		--
Public place		--
Other		0
Not documented		0


## Top 5 drugs involved: Drug misuse deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	43	Any drug-related cause	--
Abuse	--	Abuse	0
Drug or alcohol	43	Drug or alcohol	--
Toxic effects	41	Toxic effects	--
Body systems (includes infections)	5	Body systems (includes infections)	0
Accidents and injuries	--	Accidents and injuries	0

### Drug-related deaths by drug category, 2003

Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>23</b>	<b>--</b>	<b>43</b>	<b>--</b>	<b>--</b>	<b>0</b>
Alcohol <sup>2</sup>			12	--	--	0
Cocaine	8	--	8	--	--	0
Marijuana	--	--	--	--	--	0
Stimulants	13	--	13	--	--	0
Club drugs <sup>3</sup>	--	--	--	--	--	0
Hallucinogens <sup>4</sup>	0	--	0	--	--	0
Inhalants	--	--	--	--	--	0
Antidepressants			10	--	--	0
Antipsychotics			0	--	--	0
Benzodiazepines			13	--	--	0
Misc. anxiolytics, sedatives, and hypnotics			14	--	--	0
Opiates/opioids			32	--	--	0
Heroin (specified)	--	--	--	--	--	0
Methadone			11	--	--	0
All other opiates/opioids			24	--	--	0
Nonsteroidal anti-inflammatory agents			0	--	--	0
Salicylates/combinations			--	--	--	0
Misc. analgesics/combinations			6	--	--	0
Anticonvulsants			--	--	--	0
Muscle relaxants			7	--	--	0


<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.



# Oklahoma City, OK



## Deaths reported to DAWN

Drug misuse	62
Suicide	15

**Metro area population, 2003**  
1,132,652

**Population covered by DAWN**  
676,066

**Percent of population covered by DAWN**  
60%


## Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (1)</b>	<b>62</b>	<b>91.7</b>	<b>15</b>	<b>22.2</b>	<b>676,066</b>
1. Canadian County, OK					92,904
2. Cleveland County, OK					219,966
3. Grady County, OK					47,439
4. Lincoln County, OK					32,262
5. Logan County, OK					35,420
6. McClain County, OK					28,595
7. Oklahoma County, OK	62	91.7	15	22.2	676,066

Shaded areas did not participate in DAWN this year.

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003




## Place of death, 2003

<b>Drug misuse</b>		<b>Deaths</b>
Health care facility		5
Home		38
Public place		16
Other		--
Not documented		--
<b>Suicide</b>		<b>Deaths</b>
Health care facility		--
Home		8
Public place		--
Other		--
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2003




## Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	61	Any drug-related cause	15
Abuse	18	Abuse	0
Drug or alcohol	61	Drug or alcohol	15
Toxic effects	42	Toxic effects	15
Body systems (includes infections)	--	Body systems (includes infections)	0
Accidents and injuries	44	Accidents and injuries	11

### Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>32</b>	<b>11</b>	<b>62</b>	<b>22</b>	<b>15</b>	<b>--</b>
Alcohol <sup>2</sup>			11	0	4	--
Cocaine	22	6	19	6	--	--
Marijuana	0	0	0	0	0	--
Stimulants	8	--	8	--	0	--
Club drugs <sup>3</sup>	0	0	0	0	0	--
Hallucinogens <sup>4</sup>	0	0	0	0	0	--
Inhalants	--	--	--	--	0	--
Antidepressants			11	0	4	--
Antipsychotics			--	0	0	--
Benzodiazepines			10	0	--	--
Misc. anxiolytics, sedatives, and hypnotics			4	0	--	--
Opiates/opioids			40	10	8	--
Heroin (specified)	--	0	--	0	0	--
Methadone			8	--	--	--
All other opiates/opioids			32	7	7	--
Nonsteroidal anti-inflammatory agents			0	0	0	--
Salicylates/combinations			0	0	0	--
Misc. analgesics/combinations			5	--	--	--
Anticonvulsants			0	0	--	--
Muscle relaxants			7	0	--	--

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# Philadelphia-Camden-Wilmington, PA-NJ-DE-MD



## Deaths reported to DAWN

Drug misuse 292  
Suicide 79

**Metro area population, 2003**  
5,772,947

**Population covered by DAWN**  
2,811,906

**Percent of population covered by DAWN**  
49%

## Metro area overview: Deaths and population by county, 2003


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (6)</b>	<b>292</b>	<b>103.8</b>	<b>79</b>	<b>28.1</b>	<b>2,811,906</b>
1. New Castle County, DE					515,074
2. Cecil County, MD	10	107.8	1	10.8	92,746
3. Burlington County, NJ					444,381
4. Camden County, NJ	62	120.6	9	17.5	513,909
5. Gloucester County, NJ	28	104.9	2	7.5	266,962
6. Salem County, NJ					64,854
7. Bucks County, PA	57	93.0	21	34.3	613,110
8. Chester County, PA					457,393
9. Delaware County, PA*	69	124.5	16	28.9	554,432
10. Montgomery County, PA*	66	85.6	30	38.9	770,747
11. Philadelphia County, PA					1,479,339

Shaded areas did not participate in DAWN this year.

\* Indicates area featured in Spotlight section.

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003




## Place of death, 2003

Drug misuse		Deaths
Health care facility		69
Home		152
Public place		17
Other		54
Not documented		0
Suicide		Deaths
Health care facility		7
Home		56
Public place		11
Other		5
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2003




## Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	272	Any drug-related cause	55
Abuse	7	Abuse	--
Drug or alcohol	270	Drug or alcohol	55
Toxic effects	258	Toxic effects	44
Body systems (includes infections)	19	Body systems (includes infections)	5
Accidents and injuries	21	Accidents and injuries	44

### Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>194</b>	<b>21</b>	<b>292</b>	<b>39</b>	<b>79</b>	<b>9</b>
Alcohol <sup>2</sup>			94	--	22	0
Cocaine	134	16	121	16	13	0
Marijuana	40	--	32	--	8	0
Stimulants	14	0	11	0	--	0
Club drugs <sup>3</sup>	4	0	--	0	--	0
Hallucinogens <sup>4</sup>	10	0	10	0	0	0
Inhalants	--	0	--	0	--	0
Antidepressants			46	0	27	--
Antipsychotics			12	0	4	0
Benzodiazepines			100	0	27	--
Misc. anxiolytics, sedatives, and hypnotics			25	0	17	--
Opiates/opioids			212	18	34	--
Heroin (specified)	47	--	44	--	--	0
Methadone			40	5	4	0
All other opiates/opioids			154	10	30	--
Nonsteroidal anti-inflammatory agents			0	0	--	0
Salicylates/combinations			5	0	--	0
Misc. analgesics/combinations			26	--	12	0
Anticonvulsants			10	--	--	0
Muscle relaxants			11	0	4	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# Phoenix-Mesa-Scottsdale, AZ



## Deaths reported to DAWN

Drug misuse 389  
Suicide 102

**Metro area population, 2003**  
3,593,408

**Population covered by DAWN**  
3,389,260

**Percent of population covered by DAWN**  
94%


## Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (1)</b>	<b>389</b>	<b>114.8</b>	<b>102</b>	<b>30.1</b>	<b>3,389,260</b>
1. Maricopa County, AZ	389	114.8	102	30.1	3,389,260
2. Pinal County, AZ					204,148

Shaded areas did not participate in DAWN this year.

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003




## Place of death, 2003

Drug misuse	Deaths
Health care facility	102
Home	166
Public place	58
Other	51
Not documented	12
Suicide	Deaths
Health care facility	29
Home	57
Public place	7
Other	7
Not documented	--

## Top 5 drugs involved: Drug misuse deaths, 2003




## Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	346	Any drug-related cause	72
Abuse	121	Abuse	5
Drug or alcohol	343	Drug or alcohol	72
Toxic effects	295	Toxic effects	69
Body systems (includes infections)	38	Body systems (includes infections)	7
Accidents and injuries	72	Accidents and injuries	63

### Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>256</b>	<b>63</b>	<b>389</b>	<b>104</b>	<b>102</b>	<b>31</b>
Alcohol <sup>2</sup>	--	--	110	10	31	--
Cocaine	144	34	130	30	14	4
Marijuana	0	0	0	0	0	0
Stimulants	122	25	104	23	18	--
Club drugs <sup>3</sup>	--	0	0	0	--	0
Hallucinogens <sup>4</sup>	--	0	--	0	0	0
Inhalants	--	0	--	0	0	0
Antidepressants	--	--	25	0	10	--
Antipsychotics	--	--	5	--	--	--
Benzodiazepines	--	--	54	0	20	--
Misc. anxiolytics, sedatives, and hypnotics	--	--	22	--	11	--
Opiates/opioids	--	--	227	37	35	8
Heroin (specified)	13	4	13	4	0	0
Methadone	--	--	52	7	--	0
All other opiates/opioids	--	--	181	26	32	8
Nonsteroidal anti-inflammatory agents	--	--	0	0	0	0
Salicylates/combinations	--	--	--	0	4	--
Misc. analgesics/combinations	--	--	6	--	14	--
Anticonvulsants	--	--	4	--	4	--
Muscle relaxants	--	--	10	0	--	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

# Portland-Vancouver-Beaverton, OR-WA



## Deaths reported to DAWN

Drug misuse 146  
Suicide 27

**Metro area population, 2003**  
2,040,258

**Population covered by DAWN**  
1,514,744

**Percent of population covered by DAWN**  
74%

## Metro area overview: Deaths and population by county, 2003


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (3)</b>	<b>146</b>	<b>96.4</b>	<b>27</b>	<b>17.8</b>	<b>1,514,744</b>
1. Clackamas County, OR	14	39.2	7	19.6	357,435
2. Columbia County, OR					46,261
3. Multnomah County, OR*	119	175.6	17	25.1	677,813
4. Washington County, OR	13	27.1	3	6.3	479,496
5. Yamhill County, OR					89,384
6. Clark County, WA					379,577
7. Skamania County, WA					10,292

Shaded areas did not participate in DAWN this year.

\* Indicates area featured in Spotlight section.

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003




## Place of death, 2003

<b>Drug misuse</b>		<b>Deaths</b>
Health care facility		17
Home		94
Public place		18
Other		13
Not documented		4
<b>Suicide</b>		<b>Deaths</b>
Health care facility		--
Home		19
Public place		--
Other		--
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2003




## Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	145	Any drug-related cause	27
Abuse	14	Abuse	0
Drug or alcohol	142	Drug or alcohol	27
Toxic effects	110	Toxic effects	27
Body systems (includes infections)	8	Body systems (includes infections)	--
Accidents and injuries	0	Accidents and injuries	--

### Drug-related deaths by drug category, 2003

Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>100</b>	<b>9</b>	<b>146</b>	<b>20</b>	<b>27</b>	<b>4</b>
Alcohol <sup>2</sup>			49	0	14	0
Cocaine	50	5	50	5	0	0
Marijuana	15	0	13	0	--	0
Stimulants	24	0	21	0	--	0
Club drugs <sup>3</sup>	0	0	0	0	0	0
Hallucinogens <sup>4</sup>	0	0	0	0	0	0
Inhalants	--	0	--	0	0	0
Antidepressants			40	--	14	--
Antipsychotics			6	0	4	0
Benzodiazepines			31	0	6	0
Misc. anxiolytics, sedatives, and hypnotics			12	0	5	--
Opiates/opioids			120	12	9	0
Heroin (specified)	39	4	39	4	0	0
Methadone			31	--	--	0
All other opiates/opioids			82	7	7	0
Nonsteroidal anti-inflammatory agents			0	0	0	0
Salicylates/combinations			--	0	0	0
Misc. analgesics/combinations			--	--	--	--
Anticonvulsants			4	0	0	0
Muscle relaxants			4	0	--	--


<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.



# Portland-South Portland, ME



## Deaths reported to DAWN

Drug misuse 49  
Suicide 9

**Metro area population, 2003**  
505,404

**Population covered by DAWN**  
505,404


**Percent of population covered by DAWN**  
100%

## Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate <sup>1</sup>	Deaths	Rate <sup>1</sup>	
<b>Total participating (3)</b>	<b>49</b>	<b>97.0</b>	<b>9</b>	<b>17.8</b>	<b>505,404</b>
1. Cumberland County, ME	35	129.2	6	22.1	270,923
2. Sagadahoc County, ME	0	0.0	1	27.4	36,455
3. York County, ME	14	70.7	2	10.1	198,026

<sup>1</sup> Deaths per 1,000,000 population.


## Deaths by case type, 2003




## Place of death, 2003

<b>Drug misuse</b>		<b>Deaths</b>
Health care facility		13
Home		28
Public place		0
Other		8
Not documented		0
<b>Suicide</b>		<b>Deaths</b>
Health care facility		--
Home		6
Public place		0
Other		--
Not documented		0

## Top 5 drugs involved: Drug misuse deaths, 2003




## Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

### Death rates by gender and age: Drug misuse, 2003



### Death rates by gender and age: Suicide, 2003



### Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	45	Any drug-related cause	9
Abuse	0	Abuse	0
Drug or alcohol	45	Drug or alcohol	9
Toxic effects	44	Toxic effects	9
Body systems (includes infections)	9	Body systems (includes infections)	0
Accidents and injuries	0	Accidents and injuries	0

### Drug-related deaths by drug category, 2003

Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
<b>ALL DRUGS</b>	<b>6</b>	<b>0</b>	<b>49</b>	<b>16</b>	<b>9</b>	<b>0</b>
Alcohol <sup>2</sup>			13	0	4	0
Cocaine	4	0	4	0	0	0
Marijuana	0	0	0	0	0	0
Stimulants	--	0	--	0	0	0
Club drugs <sup>3</sup>	0	0	0	0	0	0
Hallucinogens <sup>4</sup>	0	0	0	0	0	0
Inhalants	0	0	0	0	0	0
Antidepressants			11	0	--	0
Antipsychotics			--	0	--	0
Benzodiazepines			7	0	4	0
Misc. anxiolytics, sedatives, and hypnotics			0	0	--	0
Opiates/opioids			45	15	5	0
Heroin (specified)	--	0	--	0	0	0
Methadone			23	9	--	0
All other opiates/opioids			28	6	4	0
Nonsteroidal anti-inflammatory agents			0	0	--	0
Salicylates/combinations			0	0	--	0
Misc. analgesics/combinations			4	0	--	0
Anticonvulsants			--	0	--	0
Muscle relaxants			0	0	--	0

<sup>2</sup> Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

<sup>3</sup> Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

<sup>4</sup> Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).